

T:
@:

RVE RANGE WITHOUT OVEN - RVE 45

TECHNICAL SPECIFICATIONS

- Adjustable Height Kitchen*: 850 - 920 mm (excluding upstand 60x15mm - HxD)
 - with 30 mm thick top: height 850 - 910 mm
 - with 40 mm thick top: height 860 - 920 mm
- Height and Width Adjustable Plinth
- 30 or 40 mm Top
- Steel or Glass ceramic radiant plate
- Horizontally and vertically adjustable rear flue outlet
- Side Flue Outlet with Telescopic Pipe
- *Soft close* wood cushioned box
- Vent to the Outside
- Airtight Fire Door
- Self-cleaning triple-glazed ceramic glass fire door
- Combustion chamber made of Certified refractory material
- *Superflame*[®] Certified combustion system
- Primary and Secondary Air automatic regulation
- Pre-heated Secondary Air
- Ignition with Bypass Key
- Regulation/Closing of vent to the outside
- Natural thermal convection on the sides
- Heat Transfer Ventilation
- Furniture for Built-in Appliances

TECHNICAL DATA

- **Length:** 450 mm
- **Adjustable Height*:** 850 - 920 mm
- **Width:** 600 mm
- **Total Nominal Power:** 7,4 kW
- **Maximum Power:** 8,5 kW
- **Nominal Power Performance:** 80,8%
- **Weight:** 155 Kg

RETRIEVE YOUR CONFIGURATION

Scan the QR CODE or copy the link below to retrieve your configuration.



<https://www.rizzolicucine.it/en/products/wood-burning-cookers/r-range/39/rve-45#configurator-39/0/0>

Configuration code : **5yMpZS715**

07-12-2024